

PROFESSIONAL TWO-WAY
FULL RANGE LOUDSPEAKER

The METIS Series were designed to provide stellar professional sound but still in competitive prices. It will be your best choice combines performance and value to get the Sound Town METIS series, which stacks up with high efficient loudspeakers, titanium compression drivers and impressive power handling.

METIS family consists of full range single 12", 15", dual 12", dual 15"; 10", 12", 15" floor monitor and 15", 18" high power subwoofer are available in both passive and self-powered version. There is also a 21" super subwoofer can provided roof overturned bass.

Thanks to Sound Town NIX series premium amplifier, there are also several METIS package on choice which can help users to set up their PA system conveniently and deliver professional quality sound.

SPECIFICATIONS

SYSTEM DATA:

FREQUENCY RESPONSE: 55 Hz - 20kHz

SENSITIVITY: 96 db (Passive)

SPL MAX: 122 db

DISPERSION: 105° x 60° (H x V)

LOUDSPEAKER DATA:

CONFIGURATION: 12" 2-way full range loudspeaker

TRANSDUCER: LF: 1 x 12", HF: 1 x 1" compression driver

 $\label{eq:mpedance: 80 Nominal POWER HANDLING: 300 / 600W}$

CONNECTORS: 2 x 4 Pin Speakon®, 2 x 1/4" Jack

PHYSICAL:

CABINET CONSTRUCTION: Particle board

MOUNTING: Stand mount on bottom

FINISH: Carpeting


GRILL AND RIGGING COMPONENTS: Steel with anti-corrosion coat


DIMENSIONS (MM / INCH): 390 W - 350 D - 626 H / 15.3 W - 13.8 D - 24.7 H

WEIGHT: 17.5 kg / 38.6 lb

FRONT









PROFESSIONAL TWO-WAY FULL RANGE LOUDSPEAKER

The METIS Series were designed to provide stellar professional sound but still in competitive prices. It will be your best choice combines performance and value to get the Sound Town METIS series, which stacks up with high efficient loudspeakers, titanium compression drivers and impressive power handling.

METIS family consists of full range single 12", 15", dual 12", dual 15"; 10", 12", 15" floor monitor and 15", 18" high power subwoofer are available in both passive and self-powered version. There is also a 21" super subwoofer can provided roof overturned bass.

Thanks to Sound Town NIX series premium amplifier, there are also several METIS package on choice which can help users to set up their PA system conveniently and deliver professional quality sound.

SPECIFICATIONS

SYSTEM DATA:

FREQUENCY RESPONSE: 50 Hz - 20kHz

SENSITIVITY: 97 db (Passive)

SPL MAX: 123 db

DISPERSION: 105° x 90° (H x V)

LOUDSPEAKER DATA:

CONFIGURATION: 15" 2-way full range loudspeaker

TRANSDUCER: LF: 1 x 15", HF: 1 x 1" compression driver

 $\begin{array}{c} \text{IMPEDANCE: } 8\Omega \text{ Nominal} \\ \text{POWER HANDLING: } 350 \text{ / } 700W \end{array}$

CONNECTORS: 2 x 4 Pin Speakon®, 2 x 1/4" Jack

PHYSICAL:

CABINET CONSTRUCTION: Particle board

MOUNTING: Stand mount on bottom

FINISH: Carpeting

GRILL AND RIGGING COMPONENTS: Steel with anti-corrosion coat


DIMENSIONS (MM / INCH): 460 W - 381 D - 823 H / 18.1 W - 15 D - 32.4 H

WEIGHT: 19.5 kg / 43 lb

FRONT

TOP

SIDE





PROFESSIONAL TWO-WAY
FULL RANGE LOUDSPEAKER

The METIS Series were designed to provide stellar professional sound but still in competitive prices. It will be your best choice combines performance and value to get the Sound Town METIS series, which stacks up with high efficient loudspeakers, titanium compression drivers and impressive power handling.

METIS family consists of full range single 12", 15", dual 12", dual 15"; 10", 12", 15" floor monitor and 15", 18" high power subwoofer are available in both passive and self-powered version. There is also a 21" super subwoofer can provided roof overturned bass.

Thanks to Sound Town NIX series premium amplifier, there are also several METIS package on choice which can help users to set up their PA system conveniently and deliver professional quality sound.

SPECIFICATIONS

SYSTEM DATA:

FREQUENCY RESPONSE: 55 Hz - 20kHz

SENSITIVITY: 98 db (Passive)

SPL MAX: 125 db

DISPERSION: 105° x 60° (H x V)

LOUDSPEAKER DATA:

CONFIGURATION: Dual 12" 2-way full range loudspeaker

TRANSDUCER: LF: 2 x 12", HF: 1 x 1.4" compression driver

IMPEDANCE: 4Ω Nominal POWER HANDLING: 600 / 1200W

CONNECTORS: 2 x 4 Pin Speakon®, 2 x 1/4" Jack

PHYSICAL:

CABINET CONSTRUCTION: Particle board

MOUNTING:

FINISH: Carpeting


GRILL AND RIGGING COMPONENTS: Steel with anti-corrosion coat


DIMENSIONS (MM / INCH): 390 W - 350 D - 915 H / 15.3 W - 13.8 D - 36 H

WEIGHT: 21.5 kg / 47.4 lb

FRONT









PROFESSIONAL TWO-WAY FULL RANGE LOUDSPEAKER

The METIS Series were designed to provide stellar professional sound but still in competitive prices. It will be your best choice combines performance and value to get the Sound Town METIS series, which stacks up with high efficient loudspeakers, titanium compression drivers and impressive power handling.

METIS family consists of full range single 12", 15", dual 12", dual 15"; 10", 12", 15" floor monitor and 15", 18" high power subwoofer are available in both passive and self-powered version. There is also a 21" super subwoofer can provided roof overturned bass.

Thanks to Sound Town NIX series premium amplifier, there are also several METIS package on choice which can help users to set up their PA system conveniently and deliver professional quality sound.

SPECIFICATIONS

SYSTEM DATA:

FREQUENCY RESPONSE: 50 Hz - 20kHz

SENSITIVITY: 99 db (Passive)

SPL MAX: 126 db

DISPERSION: 105° x 90° (H x V)

LOUDSPEAKER DATA:

CONFIGURATION: Dual 15" 2-way full range loudspeaker

TRANSDUCER: LF: 2 x 15", HF: 1 x 1.4" compression driver

IMPEDANCE: 4Ω Nominal POWER HANDLING: 700 / 1400W

CONNECTORS: 2 x 4 Pin Speakon®, 2 x 1/4" Jack

PHYSICAL:

CABINET CONSTRUCTION: Particle board


MOUNTING:

FINISH: Carpeting

GRILL AND RIGGING COMPONENTS: Steel with anti-corrosion coat

DIMENSIONS (MM / INCH): $460~\mathrm{W}$ - $381~\mathrm{D}$ - $1216~\mathrm{H}$ / $18.1~\mathrm{W}$ - $15~\mathrm{D}$ - $47.9~\mathrm{H}$

WEIGHT: 28.5 kg / 62.8 lb






FRONT



101





HIGH POWER PASSIVE SUBWOOFER SYSTEM



The METIS Series were designed to provide stellar professional sound but still in competitive prices. It will be your best choice combines performance and value to get the Sound Town METIS series, which stacks up with high efficient loudspeakers, titanium compression drivers and impressive power handling.

METIS family consists of full range single 12", 15", dual 12", dual 15"; 10", 12", 15" floor monitor and 15", 18" high power subwoofer are available in both passive and self-powered version. There is also a 21" super subwoofer can provided roof overturned bass.

Thanks to Sound Town NIX series premium amplifier, there are also several METIS package on choice which can help users to set up their PA system conveniently and deliver professional quality sound.

SPECIFICATIONS

SYSTEM DATA:

FREQUENCY RESPONSE: 40 Hz - 350Hz

SENSITIVITY: 96 db (Passive)

SPL MAX: 123 db

DISPERSION:

LOUDSPEAKER DATA:

CONFIGURATION: 15" Passive subwoofer system TRANSDUCER: LF: 1 x 15" (w/ 4" voice coil)

IMPEDANCE: 8Ω Nominal POWER HANDLING: 400 / 800W

CONNECTORS: 2 x 4 Pin Speakon®, 2 x 1/4" Jack

PHYSICAL:

CABINET CONSTRUCTION: Particle board, plywood reinforced

MOUNTING: Stand mount on top

FINISH: Carpeting


GRILL AND RIGGING COMPONENTS: Steel with anti-corrosion coat

DIMENSIONS (MM / INCH): 480 W - 530 D - 560 H / 18.9 W - 20.9 D - 22.1 H

WEIGHT: 22.5 kg / 49.6 lb

FRONT







METIS-15SPW

HIGH POWER ACTIVE SUBWOOFER SYSTEM



The METIS Series were designed to provide stellar professional sound but still in competitive prices. It will be your best choice combines performance and value to get the Sound Town METIS series, which stacks up with high efficient loudspeakers, titanium compression drivers and impressive power handling.

METIS family consists of full range single 12", 15", dual 12", dual 15"; 10", 12", 15" floor monitor and 15", 18" high power subwoofer are available in both passive and self-powered version. There is also a 21" super subwoofer can provided roof overturned bass.

Thanks to Sound Town NIX series premium amplifier, there are also several METIS package on choice which can help users to set up their PA system conveniently and deliver professional quality sound.

SPECIFICATIONS

SYSTEM DATA:

FREQUENCY RESPONSE: 40 Hz - 350Hz SENSITIVITY: 96 db (Passive) SPL MAX: 123 db

DISPERSION: N/A

LOUDSPEAKER DATA:

CONFIGURATION: 15" High power active subwoofer TRANSDUCER: 1 x 15" (w/ 4" voice coil)

POWER HANDLING: 400 / 800W

PHYSICAL:

CABINET CONSTRUCTION: Particle board, plywood reinforced

MOUNTING: Stand mount on top

FINISH: Carpeting

GRILL AND RIGGING COMPONENTS: Steel with anti-corrosion coat

DIMENSIONS (MM / INCH): 480 W - 530 D - 560 H / 18.9 W - 20.9 D - 22.1 H

WEIGHT: 30.5 kg / 67.2 lb

AMPLIFIER:


TYPE: Class AB T.H.D: 0.5% (1kHz -9db)


LOAD CAPACITY: 8Ω / 4Ω INPUT IMPEDANCE: 1.2V / $20K\Omega$

CONNECTOR: 2 x XLR female & 1/4" combo with 2 x XLR male loop out, RCA CONTROL: Master volume, LF extension, LPF, Polarity, LED on / off

VOLTAGE SELECTION: 100-240V AC, 50 / 60Hz

FRONT









HIGH POWER PASSIVE SUBWOOFER SYSTEM



The METIS Series were designed to provide stellar professional sound but still in competitive prices. It will be your best choice combines performance and value to get the Sound Town METIS series, which stacks up with high efficient loudspeakers, titanium compression drivers and impressive power handling.

METIS family consists of full range single 12", 15", dual 12", dual 15"; 10", 12", 15" floor monitor and 15", 18" high power subwoofer are available in both passive and self-powered version. There is also a 21" super subwoofer can provided roof overturned bass.

Thanks to Sound Town NIX series premium amplifier, there are also several METIS package on choice which can help users to set up their PA system conveniently and deliver professional quality sound.

SPECIFICATIONS

SYSTEM DATA:

FREQUENCY RESPONSE: 38 Hz - 350Hz

SENSITIVITY: 97 db (Passive)

SPL MAX: 124 db

DISPERSION:

LOUDSPEAKER DATA:

CONFIGURATION: 18" Passive subwoofer system TRANSDUCER: LF: 1 x 18" (w/ 4" voice coil)

IMPEDANCE: 8Ω Nominal POWER HANDLING: 500 / 1000W

CONNECTORS: 2 x 4 Pin Speakon®, 2 x 1/4" Jack

PHYSICAL:

CABINET CONSTRUCTION: Particle board, plywood reinforced

MOUNTING: Stand mount on top

FINISH: Carpeting


GRILL AND RIGGING COMPONENTS: Steel with anti-corrosion coat


DIMENSIONS (MM / INCH): 560 W - 605 D - 635 H / 22 W - 23.8 D - 25 H


WEIGHT: 27.5 kg / 60.6 lb

FRONT

FRONT







METIS-18SPW

HIGH POWER ACTIVE SUBWOOFER SYSTEM



The METIS Series were designed to provide stellar professional sound but still in competitive prices. It will be your best choice combines performance and value to get the Sound Town METIS series, which stacks up with high efficient loudspeakers, titanium compression drivers and impressive power handling.

METIS family consists of full range single 12", 15", dual 12", dual 15"; 10", 12", 15" floor monitor and 15", 18" high power subwoofer are available in both passive and self-powered version. There is also a 21" super subwoofer can provided roof overturned bass,

Thanks to Sound Town NIX series premium amplifier, there are also several METIS package on choice which can help users to set up their PA system conveniently and deliver professional quality sound.

SPECIFICATIONS

SYSTEM DATA:

FREQUENCY RESPONSE: 38 Hz - 350Hz SENSITIVITY: 97 db (Passive) SPL MAX: 124 db

DISPERSION: N/A

LOUDSPEAKER DATA:

CONFIGURATION: 18" High power active subwoofer TRANSDUCER: 1 x 18" (w/ 4" voice coil)

IMPEDANCE: 8Ω Nominal POWER HANDLING: 500 / 1000W

PHYSICAL:

CABINET CONSTRUCTION: Particle board, plywood reinforced

MOUNTING: Stand mount on top

FINISH: Carpeting

GRILL AND RIGGING COMPONENTS: Steel with anti-corrosion coat

DIMENSIONS (MM / INCH): 560 W - 605 D - 635 H / 22 W - 23.8 D - 25 H

WEIGHT: 35.5 kg / 78.3 lb

AMPLIFIER:

TYPE: Class AB T.H.D: 0.5% (1kHz -9db)

LOAD CAPACITY: 8Ω / 4Ω INPUT IMPEDANCE: 1.2V / $20K\Omega$


CONNECTOR: 2 x XLR female & 1/4" combo with 2 x XLR male loop out, RCA

CONTROL: Master volume, LF extension, LPF, Polarity, LED on / off

VOLTAGE SELECTION: 100-240V AC, 50 / 60Hz

FRONT

TOP







HIGH POWER PASSIVE SUBWOOFER SYSTEM



The METIS Series were designed to provide stellar professional sound but still in competitive prices. It will be your best choice combines performance and value to get the Sound Town METIS series, which stacks up with high efficient loudspeakers, titanium compression drivers and impressive power handling.

METIS family consists of full range single 12", 15", dual 12", dual 15"; 10", 12", 15" floor monitor and 15", 18" high power subwoofer are available in both passive and self-powered version. There is also a 21" super subwoofer can provided roof overturned bass.

Thanks to Sound Town NIX series premium amplifier, there are also several METIS package on choice which can help users to set up their PA system conveniently and deliver professional quality sound.

SPECIFICATIONS

SYSTEM DATA:

FREQUENCY RESPONSE: 35 Hz - 350Hz

SENSITIVITY: 99 db (Passive)

SPL MAX: 128 db

DISPERSION:

LOUDSPEAKER DATA:

CONFIGURATION: 21" Passive subwoofer system TRANSDUCER: LF: 1 x 21" (w/ 4" voice coil)

IMPEDANCE: 8Ω Nominal POWER HANDLING: 800 / 1600W

CONNECTORS: 2 x 4 Pin Speakon®, 2 x 1/4" Jack

PHYSICAL:

CABINET CONSTRUCTION: Plywood


MOUNTING: Stand mount on top & side

FINISH: Carpeting


GRILL AND RIGGING COMPONENTS: Steel with anti-corrosion coat

DIMENSIONS (MM / INCH): 812 W - 609 D - 609 H / 32 W - 24 D - 24 H


WEIGHT: 52 kg / 115 lb



FRONT







METIS-10M | PROFESSIONAL T FLOOR MONITOR

PROFESSIONAL TWO-WAY



The METIS Series were designed to provide stellar professional sound but still in competitive prices. It will be your best choice combines performance and value to get the Sound Town METIS series, which stacks up with high efficient loudspeakers, titanium compression drivers and impressive power handling.

METIS family consists of full range single 12", 15", dual 12", dual 15"; 10", 12", 15" floor monitor and 15", 18" high power subwoofer are available in both passive and self-powered version. There is also a 21" super subwoofer can provided roof overturned bass.

Thanks to Sound Town NIX series premium amplifier, there are also several METIS package on choice which can help users to set up their PA system conveniently and deliver professional quality sound.

SPECIFICATIONS

SYSTEM DATA:

FREQUENCY RESPONSE: 60 Hz - 20kHz

SENSITIVITY: 95 db (Passive)

SPL MAX: 121 db

DISPERSION: 105° x 60° (H x V)

LOUDSPEAKER DATA:

CONFIGURATION: 10" 2-way floor monitor

TRANSDUCER: LF: 1 x 10", HF: 1 x 1" compression driver

IMPEDANCE: 8Ω Nominal POWER HANDLING: 150 / 300W

CONNECTORS: 1 x 4 Pin Speakon $^{\circ}$, 2 x 1/4" Jack

PHYSICAL:

CABINET CONSTRUCTION: Particle board

MOUNTING:


FINISH: Carpeting

GRILL AND RIGGING COMPONENTS: Steel with anti-corrosion coat


DIMENSIONS (MM / INCH): 485 W - 320 D - 273 H / 19.1 W - 12.6 D - 10.7 H


WEIGHT: 11 kg / 24.3 lb

FRONT



BACK





METIS-10MPW

PROFESSIONAL TWO-WAY ACTIVE FLOOR MONITOR



The METIS Series were designed to provide stellar professional sound but still in competitive prices. It will be your best choice combines performance and value to get the Sound Town METIS series, which stacks up with high efficient loudspeakers, titanium compression drivers and impressive power handling.

METIS family consists of full range single 12", 15", dual 12", dual 15"; 10", 12", 15" floor monitor and 15", 18" high power subwoofer are available in both passive and self-powered version. There is also a 21" super subwoofer can provided roof overturned bass.

Thanks to Sound Town NIX series premium amplifier, there are also several METIS package on choice which can help users to set up their PA system conveniently and deliver professional quality sound.

SPECIFICATIONS

SYSTEM DATA:

FREQUENCY RESPONSE: 60 Hz - 20kHz SENSITIVITY: 95 db (Passive)

SPL MAX: 121 db

DISPERSION: 105° x 60° (H x V)

LOUDSPEAKER DATA:

CONFIGURATION: 10" Active 2-way floor monitor

TRANSDUCER: LF: 1 x 10", HF: 1 x 1" compression driver

IMPEDANCE: 8Ω Nominal POWER HANDLING: 150 / 300W

PHYSICAL:

CABINET CONSTRUCTION: Particle board

MOUNTING:

FINISH: Carpeting

GRILL AND RIGGING COMPONENTS: Steel with anti-corrosion coat

DIMENSIONS (MM / INCH): 485 W - 320 D - 273 H / 19.1 W - 12.6 D - 10.7 H

WEIGHT: 22 kg / 48.5 lb

AMPLIFIER:

TYPE: Class AB

T.H.D: 0.5% (1kHz -9db)


LOAD CAPACITY: 8Ω / 4Ω

INPUT IMPEDANCE: 1.2V / $20 \mathrm{K}\Omega$

CONNECTOR: XLR female & 1/4" combo with XLR male loop out, RCA, 1/8" mp3

CONTROL: Master volume


VOLTAGE SELECTION: 100-240V AC, 50 / 60Hz




FRONT



BACK





METIS-12M | PROFESSIONAL TWO-WAY FLOOR MONITOR



The METIS Series were designed to provide stellar professional sound but still in competitive prices. It will be your best choice combines performance and value to get the Sound Town METIS series, which stacks up with high efficient loudspeakers, titanium compression drivers and impressive power handling.

METIS family consists of full range single 12", 15", dual 12", dual 15"; 10", 12", 15" floor monitor and 15", 18" high power subwoofer are available in both passive and self-powered version. There is also a 21" super subwoofer can provided roof overturned bass.

Thanks to Sound Town NIX series premium amplifier, there are also several METIS package on choice which can help users to set up their PA system conveniently and deliver professional quality sound.

SPECIFICATIONS

SYSTEM DATA:

FREQUENCY RESPONSE: 55 Hz - 20kHz

SENSITIVITY: 96 db (Passive)

SPL MAX: 122 db

DISPERSION: 105° x 60° (H x V)

LOUDSPEAKER DATA:

CONFIGURATION: 12" 2-way floor monitor

TRANSDUCER: LF: 1 x 12", HF: 1 x 1" compression driver

IMPEDANCE: 8Ω Nominal POWER HANDLING: 250 / 500W

CONNECTORS: 1 x 4 Pin Speakon®, 2 x 1/4" Jack

PHYSICAL:

CABINET CONSTRUCTION: Particle board

MOUNTING:


FINISH: Carpeting

GRILL AND RIGGING COMPONENTS: Steel with anti-corrosion coat


DIMENSIONS (MM / INCH): 525 W - 380 D - 315 H / 20.7 W - 15 D - 12.4 H

WEIGHT: 12 kg / 26.5 lb


FRONT



BACK



SIDE



METIS-12MPW

PROFESSIONAL TWO-WAY ACTIVE FLOOR MONITOR



The METIS Series were designed to provide stellar professional sound but still in competitive prices. It will be your best choice combines performance and value to get the Sound Town METIS series, which stacks up with high efficient loudspeakers, titanium compression drivers and impressive power handling.

METIS family consists of full range single 12", 15", dual 12", dual 15"; 10", 12", 15" floor monitor and 15", 18" high power subwoofer are available in both passive and self-powered version. There is also a 21" super subwoofer can provided roof overturned bass.

Thanks to Sound Town NIX series premium amplifier, there are also several METIS package on choice which can help users to set up their PA system conveniently and deliver professional quality sound.

SPECIFICATIONS

SYSTEM DATA:

FREQUENCY RESPONSE: 55 Hz - 20kHz SENSITIVITY: 96 db (Passive) SPL MAX: 122 db

DISPERSION: 105° x 60° (H x V)

LOUDSPEAKER DATA:

CONFIGURATION: 12" Active 2-way floor monitor

TRANSDUCER: LF: 1 x 12", HF: 1 x 1" compression driver

IMPEDANCE: 8Ω Nominal POWER HANDLING: 250 / 500W

PHYSICAL:

CABINET CONSTRUCTION: Particle board

MOUNTING:

FINISH: Carpeting

GRILL AND RIGGING COMPONENTS: Steel with anti-corrosion coat

DIMENSIONS (MM / INCH): 525 W - 380 D - 315 H / 20.7 W - 15 D - 12.4 H

WEIGHT: 24 kg / 52.9 lb

AMPLIFIER:

TYPE: Class AB


T.H.D: 0.5% (1kHz -9db) LOAD CAPACITY: 8Ω / 4Ω

INPUT IMPEDANCE: 1.2V / 20KΩ

CONNECTOR: XLR female & 1/4" combo with XLR male loop out, RCA, 1/8" mp3

CONTROL: Master volume

VOLTAGE SELECTION: 100-240V AC, 50 / 60Hz




FRONT



BACK



SIDE



METIS-15M

PROFESSIONAL TWO-WAY FLOOR MONITOR



The METIS Series were designed to provide stellar professional sound but still in competitive prices. It will be your best choice combines performance and value to get the Sound Town METIS series, which stacks up with high efficient loudspeakers, titanium compression drivers and impressive power handling.

METIS family consists of full range single 12", 15", dual 12", dual 15"; 10", 12", 15" floor monitor and 15", 18" high power subwoofer are available in both passive and self-powered version. There is also a 21" super subwoofer can provided roof overturned bass.

Thanks to Sound Town NIX series premium amplifier, there are also several METIS package on choice which can help users to set up their PA system conveniently and deliver professional quality sound.

SPECIFICATIONS

SYSTEM DATA:

FREQUENCY RESPONSE: 50 Hz - 20kHz

SENSITIVITY: 97 db (Passive)

SPL MAX: 124 db

DISPERSION: 105° x 60° (H x V)

LOUDSPEAKER DATA:

CONFIGURATION: 15" 2-way floor monitor

TRANSDUCER: LF: 1 x 15", HF: 1 x 1" compression driver

IMPEDANCE: 8Ω Nominal POWER HANDLING: 300 / 600W

CONNECTORS: 1 x 4 Pin Speakon®, 2 x 1/4" Jack

PHYSICAL:

CABINET CONSTRUCTION: Particle board

MOUNTING:


FINISH: Carpeting

GRILL AND RIGGING COMPONENTS: Steel with anti-corrosion coat


DIMENSIONS (MM / INCH): 628 W - 475 D - 395 H / 24.7 W - 18.7 D - 15.6 H


WEIGHT: 17.1 kg / 37.8 lb

FRONT



BACK





METIS-15MPW

PROFESSIONAL TWO-WAY ACTIVE FLOOR MONITOR



The METIS Series were designed to provide stellar professional sound but still in competitive prices. It will be your best choice combines performance and value to get the Sound Town METIS series, which stacks up with high efficient loudspeakers, titanium compression drivers and impressive power handling.

METIS family consists of full range single 12", 15", dual 12", dual 15"; 10", 12", 15" floor monitor and 15", 18" high power subwoofer are available in both passive and self-powered version. There is also a 21" super subwoofer can provided roof overturned bass.

Thanks to Sound Town NIX series premium amplifier, there are also several METIS package on choice which can help users to set up their PA system conveniently and deliver professional quality sound.

SPECIFICATIONS

SYSTEM DATA:

FREQUENCY RESPONSE: 50 Hz - 20kHz SENSITIVITY: 97 db (Passive) SPL MAX: 124 db

DISPERSION: 105° x 60° (H x V)

LOUDSPEAKER DATA:

CONFIGURATION: 15" Active 2-way floor monitor

TRANSDUCER: LF: 1 x 15", HF: 1 x 1" compression driver

IMPEDANCE: 8Ω Nominal POWER HANDLING: 300 / 600W

PHYSICAL:

CABINET CONSTRUCTION: Particle board

MOUNTING:

FINISH: Carpeting

GRILL AND RIGGING COMPONENTS: Steel with anti-corrosion coat

DIMENSIONS (MM / INCH): 628 W - 475 D - 395 H / 24.7 W - 18.7 D - 15.6 H

WEIGHT: 27 kg / 59.5 lb

AMPLIFIER:

TYPE: Class AB
T.H.D: 0.5% (1kHz -9db)


LOAD CAPACITY: $8\Omega / 4\Omega$

INPUT IMPEDANCE: 1.2V / 20KΩ

CONNECTOR: XLR female & 1/4" combo with XLR male loop out, RCA, 1/8" mp3

CONTROL: Master volume

VOLTAGE SELECTION: 100-240V AC, 50 / 60Hz



FRONT



ВАСК

