

skytec

153.355 LINKABLE LED LIGHT

Thank you for purchasing the Linkable LED Light system. Each LED pod has a reflecting element and 47 colored LEDs inside the pod. The product has two functional modes: one is a chasing flash function and a sound response mode. The sound mode is best if you place the unit close to your speakers but not behind them. The louder the music more active the lights become.

Product Advisors:

THIS PRODUCT IS FOR INDOOR USE ONLY

THIS PRODUCT IS NOT INTENDED FOR CHILDREN UNDER 8 YEARS OF AGE.

AVOID DIRECT EYE CONTACT WHEN PRODUCT IS TURNED ON AS IT MAY CAUSE INJURY TO EYES.

THIS PRODUCT CONTAINS FLASHING LIGHTS THAT OPERATE AT MORE THEN 40 CYCLES PER SECOND. IF YOU HAVE ANY MEDICAL ILLNESS OR CONDITION WHICH COULD BE AFFECTED BY THE RAPID FLASHING LIGHTS DO NOT USE THIS PRODUCT.

Contents of Packaging

- 1 Linkable LED Light System
- 1 Wall Power Adapter (220-240Vac/50 Hz)
- 1 Instruction sheet

Attention

Please read the operating guidelines before using the lighting system. Please keep these operating instructions for future reference.

Correct Operation

This product may only be used indoors. The unit must not come in contact with moisture or water. Using the device other than as specified may cause damage to the product which could result in potential dangers such as short-circuits, fire or electrical shock. Do not modify or open the product. There are no user serviceable parts inside the unit.

Safety Guidelines

Skytronic will not be liable in the event that personal injury or consequential damages resulting from

failure to observe these safety guidelines and the incorrect use of the device.

-Never attempt to open the device.

-Ensure that the device is well ventilated. Never cover it during operation.

-Avoid subjecting the device to excess stress or strain.

-Do not expose the device to high temperatures, strong vibrations or high levels of dampness or moisture.

-Only use the components included with product in conjunction with the device.

-Keep the device out of the reach of children and animals.

-The device can be considered unsafe in the event that:

1. The lighting controls or power adaptor exhibits visible damage,
2. The device no longer functions,
3. The device has been placed under excess stress or strain during transportation.

Operation

1. Connect the individual pod plug-in connectors with the corresponding sockets on the back of the control unit.


2. Connect the power adapter to the control unit.

3. Then, switch on the device using the "ON/OFF" switch.

4. You can now select the "SPEED" or "MUSIC" functions using the two adjustable controls on the front of the control module.

5. To activate device's chasing function, turn the "MUSIC" control to the left (selecting the first possible setting). You can now use the "SPEED" control to adjust the flashing speed.


6. The "Sound response" function is activated using the left control. The light pods now react both to light sequence and sounds. You can adjust the microphone's sensitivity. Select the desired flashing speed using the "SPEED" control and adjust the integrated microphone's sensitivity level using the "MUSIC" control. The lights will now flash according to the intensity of the sound near the unit. The sound should be about 80 dBa (about the sound level of an electric razor).



Changing the light configuration

It is also possible to change the sequence of the individual modules.

First, unplug the device from the power source and remove all the connections from the control unit. Then, carefully slide the individual modules out of their slots and reassemble them as you wish. There are grooves and slots on all 6 sides of each pod including the control unit which give you a wide array of possible configurations.



Care

Use a clean cloth to wipe any dust or dirt from the product. Don't use water or cleaning liquids.

Technical data

LINKABLE LED Light System

Operating voltage:

- Power adapter input: 220-240 Vac/50 Hz
- Power adapter output: 14 V DC/300 mA

Light element:

47 LEDs per module (red, blue, yellow)



Caution: Risk of electric shock. Do not open !



Do not expose to rain / moisture !

*Do not attempt to make any repairs yourself. This would invalidate your warranty.
Do not make any changes to the unit. This would also invalidate your warranty.
The warranty is not applicable in case of accidents or damages caused by inappropriate use or
disrespect of the warnings contained in this manual.
SkyTronic UK cannot be held responsible for personal injuries caused by a disrespect of the safety
recommendations and warnings. This is also applicable to all damages in whatever form.*