

ACME EFFECTS LTD.

INFLECTION MH-620/620D



- 4 Channels intelligent scanner with standard DMX addressing and controlled by Universal DMX controller
- Available with economical casing MH-620 and deluxe casing
- With 9 gobos plus shutter and 9 dichroic colors plus white
- Separate gobo wheel and color wheel
- Focus adjustable by manual
- Easy access door for replacing lamp
- With 4 high-quality stepper motors for smooth and fast movement
- Thermal switch for overheat protection
- Strobe from 1 to 5 fps
- Pan: 170 in 0.5 of second.
- Tilt: 85 in 0.3 of second.
- Strong ball bearing fan
- Compatible controller: CA-1, CX-5 or any standard DMX controller
- Power Supply: AC 120V 60Hz/ 220V 50Hz
- Bulb: EHJ 24V 250W / 23kgs
 - ARC 150W / 33.5kgs (120V)
 - ARC 150W 29.5kgs (230V)
 - MSD 200/250W 32.5kgs (230V)
- Size: 575 x 170 x 170mm (MH-620)
590 x 300 x 200mm (MH-620D)



SUPERMODEL DMX CONFIGURATION								
DMX 512 Lighting 0-255	Channel 1 Color	Channel 2 Gobo	Channel 3 Shutter	Channel 4 Gobo rotate	Channel 5 Rotate pan	Channel 6 Reset	Channel 7 Pan	Channel 8 Tilt
255	⚡	⚡		⚡	⚡	Reset	↺	↺
240	⚡	⚡	Open					
220	⚡	⚡						
200	⚡	⚡						
180	⚡	⚡						
160	⚡	⚡						
140	⚡	⚡						
120	⚡	⚡						
100	⚡	⚡						
80	⚡	⚡						
60	⚡	⚡						
40	⚡	⚡						
20	⚡	⚡						
0	⚡	⚡	Close	Dropped	On/Stop	Off	↻	↻

DMX CONTROLLER CA-1

- Easy controller of Inflections for people who are not comfortable with a more complex controller or for people who do not familiar with a universal DMX controller
- 224 channels, controls 16 scanners (16 scanners x 14 channels)
- Internal and external audio control
- Easily and directly operated



CA - 1

- Length 19", 1 unit rack mounting
- Synchronous motions (inversion) at random is available
- 7 pre-programmed pan/tilt motions
- All the motions can be sound activated or automatic
- Speed adjustable
- Color/ gobo change can be regulated in many different modes
- Ideal for MH-620 and MH-620D only

[BACK TO INTELLIGENT LIGHTS PAGE](#)

Specifications are subject to change without notice.

sales@acme.co.com.tw